

???

???? 65,00 €

????????

https://youtu.be/sN2_yLHVl4Y?si=RdmnJGdosuRaRb6T

Technical Specifications

- Marketing specifications
 - Product highlight
 - Direct-fit LED bulb
 - Expected benefits
 - Simple and fast installation

- Product description
 - Application
 - High Beam, Low Beam
 - Base
 - P43t-38/PU43t-3
 - Designation
 - LED H4/H19 11342 12V U2500 C2
 - Operating Temperature
 - 40°C/+85°C
 - Range
 - Ultinon Access
 - Technology
 - LED
 - Type
 - [?H4], [?H19]
 - ECE R37 certification
 - No
 - ECE R10 certification
 - Yes
 - Polarity free

Yes

• Lifetime

Life time

1500 hours

• Light characteristics

Lumens

1500 lm/1000 lm

Colour temperature

6000 K

• Electrical characteristics

Wattage

20 W

Voltage

12 V

• Ordering information

Order entry

11342U2500C2

Ordering code

02605794

• Packaging Data

EAN1

8719018026057

EAN3

8719018026064

Packaging type

C2

• Packed product information

Length

9.15 cm

Width
4.6 cm

Height
7.65 cm

Pack Quantity
2 pcs

MOQ (for professionals)
4 sets/8 pcs

• Outer pack information

Length
20.2 cm

Width
10.5 cm

Height
10 cm